## **CLAIMS:**

1. (Once Amended) A system for generating operating power machines actuation data, comprising:

- a. a plurality of power machines, the power/machines each comprising control circuitry coupled thereto; and
- b. <u>a remote means for actuating the power machines comprising:</u>
- i. a means for monitoring a market price of electricity;
  - ii. a means for monitoring a market price of hydrocarbon fuels;
- iii. a means for calculating the difference between the market price of electricity and the market price of hydrocarbon fuels; and
- c. a means for actuating a power machine network
  wherein when the remote means for actuating the power machines transmits an
  actuation signal to the power machines, the control circuitry evaluates local data
  stored therein prior to actuating the power machines.
- 2. (Original) The system of claim 1, where in the means for actuating the power machine network comprises transmitting an actuation signal across a communications means to a power machine.
- 3. (Presently Canceled) The system of claim 2, wherein the power machine comprises source sharing control circuitry.
- 4. (Presently Amended) The system of claim 3 2, wherein the actuation signal comprises a remote override signal causing the power machine to turn on or turn off.
- 5. (Original) The system of claim 4, further comprising a means for reading data from a meter.
- 6. (Original) The system of claim 5, further comprising a means for reading data related to the operational performance of the power machine.

- 7. (Original) The system of claim 6, further comprising a means for reading the local energy rate structure.
- 8. (Original) The system of claim 7, further comprising a means to calculate the load demand and to print and prepare a billing statement.
- 9. (Presently Canceled) The system of claim 3, wherein the actuation signal comprises recommendation data that is used locally by the source sharing control circuitry to cause the power machine to turn on or turn off.
- 10. (Presently Amended) A system for generating power machine actuation data, compising:
  - a. a plurality of power machines, the power machines each comprising control circuitry coupled thereto, wherein the control circuitry comprises:
    - i. a means for monitoring local data; and
    - ii. a means of considering electricity generation factors;
  - b. <u>a remote means for actuating the power machines comprising:</u>
    - i. a means of comparing the market price of electricity and hydrocarbon fuel;
      - ii./a means of transmitting an actuation signal; and
      - ii. a means of transmitting an override signal.

wherein the control circuitry evaluates the local data upon receipt of the actuation signal;

further wherein the control circuitry omits evaluation of the local data upon/receipt of the override signal.

11. (Original) The system of claim 10, further comprising a means for aggregating power to sell on a power market.

12. (Original) The system of claim 11, further comprising a means for generating a billing statement.

- 13. (Original) The system of claim 12, wherein the electricity generation factor is selected from the group consisting of market rate structure, peak shaving information, load shedding information and information relating to the ability to sell power to the grid.
- 14. (Original) The system of claim 13, wherein the system operates in an environment selected from the group consisting of a traditional environment, a transitional environment, and a competitive environment.
- 15. (Original) The system of claim 14/ further comprising a means to calculate the load demand and to print and prepare a billing statement.
- 16. (Original) The system of claim 15, further comprising a means for selling power to the grid.
- 17. (Original) The system of claim 16, wherein the system participates in load shedding.
- 18. (Original) The system of claim 16, wherein the system participates in peak shaving.
- 19. (Original) The system of claim 16, wherein the data is selected from the group consisting of electricity/prices, hydrocarbon prices, resource rate structure, power machine efficiency, power machine operating characteristics, futures prices, environmental data, regulatory rules, load demand, and weather.
- (Presently Amended) A method of actuating a distributed generation network, comprising the steps of:
  - providing at least one power machine having control circuit; y and local a. communications circuitry;
  - providing a communication link to the power machine; b.

- monitoring the market prices of electricity and hydrocarbor fuels;
- d. comparing the prices of electricity and hydrocarbon fuels; and
- e. transmitting an actuation signal to the power machine,

wherein the control circuitry evaluates local data upon receipt of the actuation signal.

21. (Presently Amended)

The method system of claim 15, further comprising

licensing power machines.

22. (Presently Amended) The method system of claim 16, further comprising monitoring the operational condition of the power machine